



## TYPHOON ROUND MEETING TABLE FRAME

Discover the ideal foundation for your meeting space with the Typhoon Meeting Table Frame (FRAME ONLY). Constructed using 2mm thick steel throughout and adjustable leveling feet, this frame offers robust support for table tops ranging from 1300mm - 1600mm in diameter.

Backed by a 5 year warranty.

---

**SKU:** TYPHROUNDFRMS

**Categories:** [Table Components](#), [Typhoon](#)

Discover the ideal foundation for your meeting space with the Typhoon Meeting Table Frame (FRAME ONLY). Constructed using 2mm thick steel throughout and adjustable leveling feet, this frame offers robust support for table tops ranging from 1300mm - 1600mm in diameter.

Backed by a 5 year warranty.

### PRODUCT DESCRIPTION

Typhoon Round Meeting Table FRAME ONLY

892mm x 892mm x 725mm H

Choose From Black P/C All Over Or Black & Polished Aluminium Underframe

Adjustable Leveling Feet

2.0mm T Steel Used Throughout

Suits Table Top Size 1300mm - 1600mm Dia

5 Year Warranty

**GALLERY IMAGES**



**VARIATIONS**



Image	SKU	Stock Status	Stock Quantity	Description	Size	Colour
	BTFR15 BL/BK			<b>Box 1</b> <b>Width:</b> 775 (mm) <b>Box 1</b> <b>Depth:</b> 570 (mm) <b>Box 1</b> <b>Height:</b> 200 (mm) <b>Box 2</b> <b>Width:</b> 775 (mm) <b>Box 2</b> <b>Depth:</b> 570 (mm) <b>Box 2</b> <b>Height:</b> 200 (mm)	892mm x 892mm x 725mm H	Black P/C All Over

Image	SKU	Stock Status	Stock Quantity	Description	Size	Colour	
	TFR15 BL			<b>Box 1</b>			
				<b>Width:</b>	775		
				(mm)			
				<b>Box 1</b>			
				<b>Depth:</b>	570		
				(mm)			
		<b>Box 1</b>			892mm		
		<b>Height:</b>	200		x	Black P/C	
		(mm)			892mm	With	
		<b>Box 2</b>			x	Polished	
		<b>Width:</b>	775		725mm	Aluminium	
		(mm)			H		
		<b>Box 2</b>					
		<b>Depth:</b>	570				
		(mm)					
		<b>Box 2</b>					
		<b>Height:</b>	200				
		(mm)					

**ADDITIONAL INFORMATION**

<b>Weight</b>	0.0000 kg
<b>Dimensions</b>	N/A
<b>Size</b>	892mm x 892mm x 725mm H
<b>Colour</b>	Black P/C All Over, Black P/C With Polished Aluminium