

HEIGHT ADJUSTABLE WORKSTATION RANGE



rapidline

**Boost
& Halo
Range**

RAPIDLINE WORKSTATIONS

Rapidline offers a complete range of commercial grade workstations with advanced features, available in a range of sizes and finishes to suit all workspaces.

Supported by commercial warranties, and selected from Sedex compliant factories, you can have peace of mind that Rapidline workstations maintain high quality standards and are built to stand the test of time.

With warehouses across Brisbane, Sydney, Melbourne, Adelaide and Perth, and a local customer service team in each state, Rapidline can provide workstation solutions off the shelf, available for immediate delivery.



Contents

Boost & Halo Range	4	Boost Static	13-16
Halo+	5-8	Single Workstations	14
Single Workstations	6	Back to Back Workstations	15
Back to Back Workstations	7	Corner Workstations	16
Corner Workstations	8	Boost Light	17
Boost+	9-12	Single Workstations	17
Single Workstations	10	Boost Crank	18-21
Back to Back Workstations	11	Single Workstations	19
Corner Workstations	12	Back to Back Workstations	20
Boost Static & Boost Light	13-17	Corner Workstations	21
		Frames	22-24
		Add-Ons	25
		Accessories	26-29

BOOST & HALO WORKSTATIONS

WHICH RANGE SUITS YOU?

Product	Height Adjustable	Cable Tray Option	Privacy Screen Option	Back to Back Option	Corner Option	Motor	Lifting Capacity	Adjustment speed	Legs
Boost Static	X	✓	✓	✓	✓	N/A	N/A	N/A	Single Column
Boost Crank	✓	✓	✓	✓	✓	N/A	120kg	10mm p/full turn	2 Stage
Boost Light	✓	✓	✓	X	X	Single	80kg	25mm p/sec	3 Stage
Boost+	✓	✓	✓	✓	✓	Dual	120kg	38mm p/sec	3 Stage
Halo+	✓	✓	✓	✓	✓	Dual	120kg	38mm p/sec	3 Stage



BOOST STATIC



BOOST CRANK



BOOST LIGHT



BOOST+



HALO+

HALO+ WORKSTATION RANGE

The Rapidline Halo+ workstation provides a premium height adjustable offering to the market with its designer cylinder leg, smooth adjustment and 120kg lifting capacity.

With a digital control panel featuring three pre-set positions, an LED display panel, keypad safety lock, and reminder alarm setting, you can easily adjust your workstation to your preferred height with just the touch of a button.

The innovative anti-collision and anti-tilt technology ensures that your desk is protected from accidental damage, while operating quietly with a noise emission of less than 50DB.

Choose from single, corner and back to back configurations.

AFRDI certified and backed by a 10 year warranty across the range.





H+1P1875



H+1PCT1875



H+1PWS1875



H+1PWSCT1875



Top Finishes:



Frame Finishes:



Screen Finishes:



HALO+ SINGLE WORKSTATION

Features:

- Height adjustable workstation
- Available widths: 1200mm, 1500mm or 1800mm
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock & reminder alarm setting
- Dual motor with round leg design
- Smooth & quiet adjustment at 38mm per second
- 620-1270mm height adjustment
- 120kg weight lifting capacity
- 70mm column diameter
- Adjustable leveling feet with a foot size of 700mm
- Underframe finished in white or black satin powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak
- 750mm D top with scalloped cable access

Add-ons:

- Fully ducted cable tray with punchout for power & data to be fitted to either external or internal of frame
- Optional cable snake and bridge upgrades available to manage power and data cords to keep your workspace safe and tidy
- Cable trays available in black or white to match the workstation frame
- 900mm H x 30mm T pinnable privacy screen
- Screens in black fabric with white powdercoat extrusion, grey fabric with black extrusion, or custom upholstery



H+2P1275



H+2PCT1275



H+2PWS1275



H+2PWSCT1275



Top Finishes:



Frame Finishes:



Screen Finishes:



HALO+ BACK TO BACK WORKSTATION

Features:

- Suits 2 users with independent height adjustment
- Available widths: 1200mm, 1500mm or 1800mm
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock & reminder alarm setting
- Dual motor with round leg design
- Smooth & quiet adjustment at 38mm per second
- 620-1270mm height adjustment
- 120kg per user lifting capacity
- 70mm column diameter
- Adjustable leveling feet with a foot size of 700mm
- Underframe finished in white or black satin powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak
- 750mm D top with scalloped cable access

Add-ons:

- Fully ducted cable tray with punchout for power & data to be fitted to either external or internal of frame
- Optional cable snake and bridge upgrades available to manage power and data cords to keep your workspace safe and tidy
- Cable trays available in black or white to match the workstation frame
- 900mm H x 30mm T pinnable privacy screen
- Screens in black fabric with white powdercoat extrusion, grey fabric with black extrusion, or custom upholstery



H+CNR1P1515



H+CNRCT1P1818



H+CNRWS1P1515



H+CNRWSCT1P1818



Top Finishes:



Frame Finishes:



Screen Finishes:



HALO+ CORNER WORKSTATION

Features:

- Height adjustable corner workstation for more desk space
- Available top sizes: 1500x1500mm, 1800x1500mm & 1800x1800mm
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock & reminder alarm setting
- Dual motor with round leg design
- Smooth & quiet adjustment at 38mm per second
- 620-1270mm height adjustment
- 80mm diameter cable entry hole with cover
- 140kg weight lifting capacity
- 70mm column diameter
- Underframe finished in white or black satin powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak

Add-ons:

- Fully ducted cable tray with punchout for power & data to be fitted to either external or internal of frame
- Optional cable snake and bridge upgrades available to manage power and data cords to keep your workspace safe and tidy
- Cable trays available in black or white to match the workstation frame
- 900mm H x 30mm T pinnable privacy screen
- Screens in black fabric with white powdercoat extrusion, grey fabric with black extrusion, or custom upholstery

BOOST+ WORKSTATION RANGE

The Rapidline Boost+ continues to lead the way in height adjustable workstation solutions within the commercial furniture industry.

With low noise emission and easy assembly, Boost+ goes above and beyond to meet and exceed the Australian standards for height adjustable workstations across the board.

Featuring advanced anti-collision and anti-tilt technology, quiet adjustment at 38mm per second, and a 120kg+ weight rating, this workstation ticks all the boxes for durability and stability, while being easily operated from the touch of an LED digital controller.

Available in a variety of configurations from single, corner and back to back, with privacy screen and cable tray options.

AFRDI certified and backed by a 10 year warranty across the range.





B+1P1875



B+1PCT1875



B+1PWS1875



B+1PWSCT1875



Top Finishes:



Frame Finishes:



Screen Finishes:



BOOST+ SINGLE WORKSTATION

Features:

- Height adjustable workstation
- Available widths: 1200mm, 1500mm or 1800mm
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock & reminder alarm setting
- Dual motor with 3 stage motorised legs
- 120kg weight lifting capacity, adjusts at 38mm per second
- Column size of 90mm x 60mm
- Height range of 620mm - 1270mm H
- Underframe finished in white or black satin powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak
- 750mm D top with scalloped cable access

Add-ons:

- Fully ducted cable tray with punchout for power & data to be fitted to either external or internal of frame
- Optional cable snake and bridge upgrades available to manage power and data cords to keep your workspace safe and tidy
- Cable trays available in black or white to match the workstation frame
- 900mm H x 30mm T pinnable privacy screen
- Screens in black fabric with white powdercoat extrusion, grey fabric with black extrusion, or custom upholstery
- Optional Portable Battery Packs allows desk mobility free from GPOs



B+2P1275



B+2PCT1275



B+2PWS1275



B+2PWSCT1875



Top Finishes:



Frame Finishes:



Screen Finishes:



BOOST+ BACK TO BACK WORKSTATION

Features:

- Suits 2 users with independent height adjustment
- Available widths: 1200mm, 1500mm or 1800mm
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock & reminder alarm setting
- Dual motor with 3 stage motorised legs
- 120kg weight lifting capacity per desk
- Column size of 90mm x 60mm
- Height range of 620mm - 1270mm H
- Underframe finished in white or black satin powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak
- 750mm D top per user with scalloped cable access

Add-ons:

- Fully ducted cable tray with punchout for power & data to be fitted to either external or internal of frame
- Optional cable snake and bridge upgrades available to manage power and data cords to keep your workspace safe and tidy
- Cable trays available in black or white to match the workstation frame
- 900mm H x 30mm T pinnable privacy screen
- Screens in black fabric with white powdercoat extrusion, grey fabric with black extrusion, or custom upholstery
- Optional Portable Battery Packs allows desk mobility free from GPOs



B+CNR1P1818



B+CNRCT1P1818



B+CNRWS1P1818



B+CNRWSCT1P1818



Top Finishes:



Frame Finishes:



Screen Finishes:



BOOST+ CORNER WORKSTATION

Features:

- Height adjustable corner workstation for more desk space
- Available top sizes: 1500x1500mm, 1800x1800mm & 1800x1500mm
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock & reminder alarm setting
- Dual motor with 3 stage motorised legs
- 80mm diameter cable entry hole with cover
- Smooth & quiet adjustment at 38mm per second
- 140kg weight lifting capacity per desk
- Column size of 90mm x 60mm
- Height range of 620mm - 1270mm H
- Underframe finished in white or black satin powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak

Add-ons:

- Fully ducted cable tray with punchout for power & data to be fitted to either external or internal of frame
- Optional cable snake and bridge upgrades available to manage power and data cords to keep your workspace safe and tidy
- Cable trays available in black or white to match the workstation frame
- 900mm H x 30mm T pinnable privacy screen
- Screens in black fabric with white powdercoat extrusion, grey fabric with black extrusion, or custom upholstery

BOOST LIGHT & BOOST STATIC WORKSTATION RANGES

As popular alternatives to our Rapidline Boost+, Boost Light and Boost Static are here to stay with their quality features and affordable price tag.

As an alternative to the popular Boost+, the Boost Light features a single motor with 80kg lifting capacity and 25mm per second height adjustment. Available as a straight open desk, with cable tray and privacy screen options.

The Boost Static is a fixed height workstation which perfectly complements the Boost+ range. Available in single, back to back, and corner workstations, The Boost Static is designed to meet your daily needs by combining functionality, durability and a sleek aesthetic.

Backed by a 10 year warranty
across both ranges





SB1P1275



SB1PCT1275



SB1PWS1275



SB1PWSCT1275

Top Finishes:



Frame Finishes:



Screen Finishes:



BOOST STATIC SINGLE WORKSTATION

Features:

- Fixed height workstation to match Boost+ range
- Available widths: 1200mm, 1500mm or 1800mm
- Telescopic frame 1100mm - 1800mm wide
- Column size of 90mm x 60mm
- Foot size of 700mm
- Fixed height of 730mm
- Underframe finished in white or black satin powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak
- 750mm D top with scalloped cable access

Add-ons:

- Fully ducted cable tray with punchout for power & data to be fitted to either external or internal of frame
- Optional cable snake and bridge upgrades available to manage power and data cords to keep your workspace safe and tidy
- Cable trays available in black or white to match the workstation frame
- 900mm H x 30mm T pinnable privacy screen
- Screens in black fabric with white powdercoat extrusion, grey fabric with black extrusion, or custom upholstery



SB2P1275



SB2PCT1275



SB2PWS1275



SB2PWSCT1275

Top Finishes:



Frame Finishes:



Screen Finishes:



BOOST STATIC BACK TO BACK WORKSTATION

Features:

- Suits 2 users
- Fixed height workstation to match Boost+ range
- Available widths: 1200mm, 1500mm or 1800mm
- Telescopic frame 1100mm - 1800mm wide
- Column size of 90mm x 60mm
- Foot size of 700mm
- Fixed height of 730mm
- Underframe finished in white or black satin powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak
- 750mm D top with scalloped cable access

Add-ons:

- Fully ducted cable tray with punchout for power & data to be fitted to either external or internal of frame
- Optional cable snake and bridge upgrades available to manage power and data cords to keep your workspace safe and tidy
- Cable trays available in black or white to match the workstation frame
- 900mm H x 30mm T pinnable privacy screen
- Screens in black fabric with white powdercoat extrusion, grey fabric with black extrusion, or custom upholstery



SBCNR1P1515



SBCNRCT1P1515



SBCNRWS1P1515



SBCNRWSCT1P1515

Top Finishes:



Frame Finishes:



Screen Finishes:



BOOST STATIC CORNER WORKSTATION

Features:

- Fixed height workstation to match Boost+ range
- Corner workstation for more desk space
- Available in 1500x1500mm, 1800x1800mm & 1800x1500mm top sizes
- Telescopic frame 1040mm - 2150mm wide
- Column size of 90mm x 60mm
- 80mm diameter cable entry hole with cover
- Foot size of 700mm
- Fixed height of 730mm
- Underframe finished in white or black satin powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak

Add-ons:

- Fully ducted cable tray with punchout for power & data to be fitted to either external or internal of frame
- Optional cable snake and bridge upgrades available to manage power and data cords to keep your workspace safe and tidy
- Cable trays available in black or white to match the workstation frame
- 900mm H x 30mm T pinnable privacy screen
- Screens in black fabric with white powdercoat extrusion, grey fabric with black extrusion, or custom upholstery



BLI1P1275



BLI1PCT1275



BLI1PWS1275



BLI1PWSCT1275

Top Finishes:



Frame Finishes:



Screen Finishes:



BOOST LIGHT SINGLE WORKSTATION

Features:

- Height adjustable workstation
- Available widths: 1200mm, 1500mm or 1800mm
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock & reminder alarm setting
- Single motor with noise emission of less than 50DB
- 80kg weight lifting capacity, adjusts at 25mm per second
- Anti-collision technology
- Column size of 90mm x 60mm
- Height range of 620mm - 1270mm H
- Foot size of 700mm
- Underframe finished in white or black satin powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak
- 750mm D top with scalloped cable access

Add-ons:

- Fully ducted cable tray with punchout for power & data to be fitted to either external or internal of frame
- Optional cable snake and bridge upgrades available to manage power and data cords to keep your workspace safe and tidy
- Cable trays available in black or white to match the workstation frame
- 900mm H x 30mm T pinnable privacy screen
- Screens in black fabric with white powdercoat extrusion, grey fabric with black extrusion, or custom upholstery

BOOST CRANK WORKSTATION RANGE

Introducing the newest member of Rapidline's Boost range: the Boost Crank. The perfect blend of functionality, affordability, and ergonomic support, the Boost Crank's sleek design complements contemporary office aesthetics.

The Boost Crank features manual height adjustment capability, allowing users to customise their workspace to optimal ergonomic levels effortlessly. With a maximum speed of 15mm per second, it ensures swift adjustments while maintaining stability and reliability throughout the work day.

Available in versatile configurations, the Boost Crank offers a cost-effective solution to enhance workplace ergonomics. Ideal for promoting productivity and comfort, it combines durability, ease of use, and modern design to meet diverse workplace needs.

Backed by a 10 year warranty across the range.



BC1P1275 NO/BL



BC1PCT1275 NO/WS



BC1PWS1575 NW/BL



BC1PWSCT1875 NW/WS

Top Finishes:



Frame Finishes:



Screen Finishes:



BOOST CRANK SINGLE WORKSTATION

Features:

- Manual height adjustable single workstation to match Boost+ range
- Available widths: 1200mm, 1500mm or 1800mm
- Side winder crank handle
- Max speed of 15mm per second (10mm per full turn circle)
- 120kg weight lifting capacity
- Height range of 705-1155mm
- Foot size of 700mm with adjustable leveling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak
- 750mm D top with scalloped cable access

Add-ons:

- Fully ducted cable tray with punchout for power & data to be fitted to either external or internal of frame
- Optional cable snake and bridge upgrades available to manage power and data cords to keep your workspace safe and tidy
- Cable trays available in black or white to match the workstation frame
- 900mm H x 30mm T pinnable privacy screen
- Screens in black fabric with white powdercoat extrusion, grey fabric with black extrusion, or custom upholstery



BC2P1275



BC2PCT1275



BC2PWS1275



BC2PWSCT1275

BOOST CRANK BACK TO BACK WORKSTATION

Features:

- Suits 2 users
- Manual height adjustable back to back workstation to match Boost+ range
- Available widths per user: 1200mm, 1500mm or 1800mm
- Overall depth of 1500mm (750mm per user)
- Side winder crank handle on each side
- Max speed of 15mm per second (10mm per full turn circle)
- 120kg per user weight lifting capacity
- Height range of 705-1155mm
- Foot size of 700mm with adjustable feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak
- 750mm D top with scalloped cable access

Add-ons:

- Fully ducted cable tray with punchout for power & data to be fitted to either external or internal of frame
- Optional cable snake and bridge upgrades available to manage power and data cords to keep your workspace safe and tidy
- Cable trays available in black or white to match the workstation frame
- 900mm H x 30mm T pinnable privacy screen
- Screens in black fabric with white powdercoat extrusion, grey fabric with black extrusion, or custom upholstery

Top Finishes:



Frame Finishes:



Screen Finishes:



BCCNR1P1515



BCCNRCT1P1515



BCCNRWS1P1515



BCCNRWSCT1P1515

BOOST CRANK CORNER WORKSTATION

Features:

- Manual height adjustable corner workstation to match Boost+ range
- Corner workstation for more desk space
- Available in 1500x1500mm, 1800x1500mm & 1800x1800mm top sizes
- Side winder crank handle
- Max speed of 15mm per second (10mm per full turn circle)
- 140kg weight lifting capacity
- 80mm diameter cable entry hole with cover
- Height range of 705-1155mm
- Foot size of 700mm with adjustable feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak

Add-ons:

- Fully ducted cable tray with punchout for power & data to be fitted to either external or internal of frame
- Optional cable snake and bridge upgrades available to manage power and data cords to keep your workspace safe and tidy
- Cable trays available in black or white to match the workstation frame
- 900mm H x 30mm T pinnable privacy screen
- Screens in black fabric with white powdercoat extrusion, grey fabric with black extrusion, or custom upholstery

Top Finishes:



Frame Finishes:



Screen Finishes:





HP-SSF

Finishes:



HALO+
SINGLE SIDED FRAME

Features:

- Height adjustable frame
- Stylish and modern round leg
- 1100mm - 1800mm telescopic frame
- 70mm column diameter
- Adjustable leveling feet
- Comes with Digital Control Panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- ***For Halo+ range only**



B2-SSF

Finishes:



BOOST+
SINGLE SIDED FRAME

Features:

- Height adjustable frame
- 1100mm - 1800mm telescopic frame
- Column size of 90mm x 60mm
- Foot size of 700mm
- Requires additional arms for cable tray and dividing screen add-ons
- Comes with digital control panel
- ***For Boost+ range only**



BCF-SF1218

Finishes:



BOOST CRANK
SINGLE SIDED FRAME

Features:

- Manual height adjustable frame
- Telescopic frame to suit 1200mm - 1800mm wide tops
- Column size of 90mm x 60mm
- Foot size of 700mm
- Height range of 680-1130mm
- Adjustable leveling feet
- ***For Boost Crank range only**



HP-RF

Finishes:



HALO+
RETURN FRAME

Features:

- Height adjustable frame
- Stylish and modern round leg
- 1040mm - 2150mm telescopic frame
- Suits rectangular return table tops and radial 1 piece corner workstation tops with overall return edge size of 1450mm - 2150mm
- Adjustable leveling feet
- Comes with digital control panel
- ***For Halo+ range only**



BLSF

Finishes:



BOOST LIGHT
SINGLE SIDED FRAME

Features:

- Height adjustable frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Comes with digital control panel
- Adjustable leveling feet
- Anti-collision technology
- ***For Boost Light range only**



SB-S18

Finishes:



BOOST STATIC
SINGLE SIDED FRAME

Features:

- Fixed height frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Adjustable leveling feet
- Fixed height of 705mm
- ***For Boost Static range only**



B2-RF

Finishes:



BOOST+
RETURN FRAME

Features:

- Height adjustable frame
- 1040mm - 2150mm telescopic frame
- Suits rectangular return table tops and radial 1 piece corner workstation tops with overall return edge size of 1450mm - 2150mm
- Comes with digital control panel
- Foot size of 500mm
- ***For Boost+ range only**



SB-RF1021

Finishes:



BOOST STATIC
RETURN FRAME

Features:

- Fixed height frame
- 1040mm - 2150mm telescopic frame
- Suits rectangular return table tops and radial 1 piece corner workstation tops with overall return edge size of 1450mm - 2150mm
- Fixed height of 705mm
- ***For Boost Static range only**



BCF-RF

Finishes:



BOOST CRANK RETURN FRAME

Features:

- Manual height adjustable frame
- Suits overall return size of 1400mm - 2000mm W
- Column size: 90mm x 60mm
- Lifting capacity of 100kg when attached to BCF-SF1218
- Foot size of 500mm
- ***For Boost Crank range only**



HP-BTBF

Finishes:



HALO+ BACK TO BACK FRAME

Features:

- Height adjustable frame only
- Fits 2 users
- 1100mm - 1800mm telescopic frame
- Comes with digital control panel
- Includes independant height adjustment per desk
- 70mm column diameter
- ***For Halo+ range only**



B2-BTBF

Finishes:



BOOST+ BACK TO BACK FRAME

Features:

- Height adjustable frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Comes with mounting provisions for screens and cable trays
- Comes with digital control panel
- Includes independant height adjustment per desk
- ***For Boost+ range only**



SB-BTBF18

Finishes:



BOOST STATIC BACK TO BACK FRAME

Features:

- Fixed height frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Fixed height of 705mm
- Adjustable levelling feet
- ***For Boost Static range only**



BCF-BTBF1218

Finishes:



BOOST CRANK BACK TO BACK FRAME

Features:

- Manual height adjustable frame
- Telescopic frame to suit 1200 - 1800mm wide tops
- Column size: 90mm x 60mm
- Foot size of 700mm
- Height range of 680-1130mm
- Adjustable levelling feet
- ***For Boost Crank range only**



B2-BATT

BATTERY PACK

Features:

- For use on all Boost and Halo height adjustable workstations that don't have power access
- Includes control box and power charging adapter
- Battery life up to approximately 30 up-down cycles before needing to be recharged
- Ideal for education and training room applications



B2-BTCB

BLUETOOTH CONTROL BOX

Features:

- Allows for height adjustment control with smart phone via application. **NOTE:** Only suitable for IOS devices with access to the App Store
- Minimum/Maximum height settings and up/down control



B2-CBSNAKE

CABLE SNAKE

Features:

- Flexible cable snakes
- 1200mm L x 45mm W x 30mm D
- 4 x segregation channels
- 1 piece per carton
- Available in black or white to match workstation frame

Finishes:






SINGLE SIDED CABLE TRAY

Features:


- Internal segregation for power & data
- External and internal power & data punch out provisions
- Four external punchouts at 230mm x 42mm and two internal punchouts at 230mm x 42mm
- Solid steel cable tray lid with two access holes for cable snakes
- 175mm D x 90mm H
- Available widths: 1010mm, 1310mm and 1610mm



BACK TO BACK CABLE TRAY

Features:

- Internal segregation for power & data
- External and internal power & data punch out provisions
- 4x external punchouts at 230mm X 42mm and 2x internal punchouts at 230mm x 42mm
- Solid steel cable tray lid with two access holes for cable snakes
- 350mm D x 90mm H
- Available widths: 1010mm, 1310mm and 1610mm



CABLE TRAY BRIDGE

Features:


- Allows 30mm gap between users

Boost+ Single Sided Workstation Cable Tray Bridge:

- 100mm W x 175mm D x 94mm H
- Cable tray cover to go between two single sided workstation frames

Boost+ Back to Back Workstation Cable Tray Bridge


- 100mm W x 350mm D x 94mm H
- Cable tray cover to go between two back to back workstation frames



RAIL EXTENSION

Features:


- Rail extension beams
- 1600mm W x 30mm H x 15mm D
- 2 pieces per carton
- Suits 2100mm - 2400mm W workstations



SINGLE SIDED TELESCOPIC CABLE TRAY

Features:



- Tray extends from 1300-1900mm
- Internal segregation for power & data
- External and internal power & data punch out provisions
- Four external punchouts at 230mm x 42mm and four internal punchouts at 230mm x 42mm
- Solid steel cable tray lid with 2x access holes for cable snakes



BACK TO BACK TELESCOPIC CABLE TRAY

Features:

- Tray extends from 1300-1900mm
- Internal segregation for power & data
- External and internal power & data punch out provisions
- Four external punchouts at 230mm x 42mm and four internal punchouts at 230mm x 42mm
- Solid steel cable tray lid with 2x access holes for cable snakes



SCREEN BRACKET


Features:

Boost+ Single Sided Workstation Screen Bracket

- Set of 2 per carton

Boost+ Back to Back Workstation Screen Bracket


- Set of 4 per carton



SINGLE SIDED ARM

Features:

- Single sided workstation cable tray and screen mounting arm
- Comes as a set of 2
- 315mm W x 60mm D x 90mm H
- *B2-SSARM for Boost only
- *HP-SSARM for Halo only



SHS759
SHS129
SHS159
SHS189


Screen Finishes:



900MM HEIGHT SCREEN

Features:

- Available widths: 1200mm, 1500mm, 1800mm, and a 750mm return screen
- Slimline 30mm screen
- Pinnable full fabric surface
- Can be fixed at any height on a desk
- Functions as a screen and as a modesty panel
- Available in other screen heights. Ask us today.



PSM1000
PSM1300
PSM1600

Finishes:



ARCH PERFORATED MODESTY PANEL

Features:

- Available widths: 1200mm, 1500mm and 1800mm
- Provides privacy by attaching to the underside of workstations
- Available in black or white powdercoat to suit workstation
- 1.5mm steel gauge



SHSJP900
SHSJP1330


Finishes:



SHUSH30+ JOINING POLES

Features:

- 360 degree screen joining poles
- 30mm W x 30mm D
- Includes all hooks and cover plates
- Adjustable levelling foot included
- Available heights: 900mm, 1330mm
- ***See below**



B2-SLIBR

NYLON GLIDE BRACKETS

Features:

- The Boost+ and Halo+ can be used with a full height 1200mm or 1500mm high Shush30+ screen by attaching a nylon glide bracket
- Works with Boost+ and Halo+ single sided workstations without screens
- Brackets are screwed into workstation tops and fitted to the screen extrusions, allowing smooth adjustment of the workstation while holding the screen steadily in place
- Comes as a set of 2 (1x right, 1x left)



SHS759


Screen Finishes:



RETURN SCREEN FOR BOOST+

Features:

- SHSJP900 joining pole used to join return screen to center screen
- SHSJP1330 joining pole used as stabilising pole on the end
- Can be used with single and back to back Boost+ and Halo+ workstations
- Add return screen to one or both ends of the desk
- Desk height can be adjusted without affecting other users or screens





rapidline

Furnx Queensland

Building 6 East,
605 Zillmere Road,
Zillmere QLD 4034

Furnx New South Wales

Unit 6 / 2 Southridge Street,
Eastern Creek NSW 2766

Furnx Victoria

3/ 9-19 Leakes Road,
Laverton North VIC 3026

Furnx Western Australia

Unit 2 / 26 Callaway Street,
Wangara WA 6065

Furnx South Australia

2 Pope Court,
Beverley SA 5009

www.rapidline.com.au