

## HEIGHT-ADJUSTABLE WORKSTATION RANGE



rapidline

Boost  
& Halo  
Range

# RAPIDLINE WORKSTATIONS

Rapidline offers a complete range of commercial-grade workstations with advanced features, available in a range of sizes and finishes to suit all workspaces.

Supported by commercial warranties, and selected from Sedex compliant factories, you can have peace of mind that Rapidline workstations maintain high quality standards and are built to stand the test of time.

With warehouses across Brisbane, Sydney, Melbourne, Adelaide, and Perth, and a local customer service team in each state, Rapidline can provide workstation solutions off the shelf, available for immediate delivery.



## Contents

<b>Boost &amp; Halo Range</b>	<b>3</b>	<b>Halo Static</b>	<b>19-22</b>
<b>Boost Static</b>	<b>4-7</b>	Single Workstations	20
Single Workstations	5	Back to Back Workstations	21
Back to Back Workstations	6	Corner Workstations	22
Corner Workstations	7	<b>Halo+ Range</b>	<b>23-28</b>
<b>Boost Light</b>	<b>8</b>	Single Workstations	24
Single Workstations	8	Back to Back Workstations	25
<b>Boost Crank</b>	<b>9-12</b>	Corner Workstations	26
Single Workstations	10	Executive Workstation	27-28
Back to Back Workstations	11	<b>Accessories</b>	<b>29-34</b>
Corner Workstations	12	<b>Frames</b>	<b>35-38</b>
<b>Boost+ Range</b>	<b>13-18</b>		
Single Workstations	15		
Back to Back Workstations	16		
Corner Workstations	17		
Executive Workstation	18		



# BOOST & HALO WORKSTATIONS

WHICH RANGE SUITS YOU?

Product	Height-adjustable	Cable Tray Option	Privacy Screen Option	Back to Back Option	Corner Option	Executive Option	Motor	Lifting Capacity	Adjustment speed	Legs
Boost & Halo Static	X	✓	✓	✓	✓	X	N/A	N/A	N/A	Single
Boost Crank	✓	✓	✓	✓	✓	X	N/A	120kg	10mm p/full turn	2 Stage
Boost Light	✓	✓	✓	X	X	X	Single	80kg	25mm p/sec	3 Stage
Boost+ & Halo+	✓	✓	✓	✓	✓	✓	Dual	120kg	38mm p/sec	3 Stage



STATIC

Single column leg



LIGHT

Visible single motor



CRANK

Manual crank handle



PLUS

Dual motor 3 stage leg

## BOOST STATIC & BOOST LIGHT WORKSTATION RANGES

As popular alternatives to our Rapidline Boost+, Boost Light and Boost Static are here to stay with their quality features and affordable price tag.

As an alternative to the popular Boost+, the Boost Light features a single motor with 80kg lifting capacity and 25mm per second height adjustment. Available as a straight, open desk, with cable tray and privacy screen options.

The Boost Static is a fixed-height workstation which perfectly complements the Boost+ range. Available in single, back to back, and corner workstations, the Boost Static is designed to meet your daily needs by combining functionality, durability, and a sleek aesthetic.

Backed by a 10 year warranty across both ranges

# BOOST STATIC SINGLE WORKSTATION

Specifications (mm):

Overall Size	750D x 730H
Available Widths	1200, 1500, 1800

Features:

- Fixed-height workstation
- 700mm wide foot with 90mm x 60mm column size leg
- Telescopic frame 1100 - 1800mm wide
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



SB1P1275



SB1PCT1575



SB1PWS1875



SB1PEPCT1875

Top Finishes:




Frame Finishes:



Shush Screens:



Eco Panels:



# BOOST STATIC BACK TO BACK WORKSTATION

Specifications (mm):

Overall Size	1530D x 730H
Available Widths	1200, 1500, 1800

Features:

- Fixed-height workstation to suit two users
- Desk depth of 750mm per user
- 90mm x 60mm column size leg
- Telescopic frame 1100 - 1800mm wide
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



SB2P1275



SB2PCT1575



SB2PWS1875



SB2PEPCT1875

Top Finishes:




Frame Finishes:



Shush Screens:



Eco Panels:





BOOST STATIC WORKSTATIONS

BOOST STATIC  
CORNER WORKSTATION

Specifications (mm):

Overall Size	750D x 730H
Available Widths	1500 x 1500, 1800 x 1500, 1800 x 1800

Features:

- Fixed-height corner workstation for more desk space
- 700mm wide foot with 90mm x 60mm column size leg
- Telescopic frame 1100 - 1800mm wide
- Overall height of 1330mm with screens
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with 80mm diameter cable entry hole with cover
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



SBCNR1P1515





SBCNRCT1P1815



SBCNRWS1P1818



SBCNREPCT1P1818



BOOST LIGHT WORKSTATION

BOOST LIGHT  
SINGLE WORKSTATION

Specifications (mm):

Overall Size	750D x 670-1270H
Available Widths	1200, 1500, 1800

Features:

- Height-adjustable workstation with 80kg lifting capacity
- 700mm wide foot with 90mm x 60mm column size leg
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Single motor with adjustment at 25mm per second and noise emission of less than 50DB
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



BLI1P1275





BLI1PCT1575



BLI1PWS1275



BLI1PEPCT1875





# BOOST CRANK WORKSTATION RANGE

With the perfect blend of functionality, affordability, and ergonomic support, the Boost Crank's polished design complements the modern office aesthetic.

The Boost Crank features manual height adjustment capability, allowing users to customise their workspace to optimal ergonomic levels effortlessly. With a maximum speed of 15mm per second, it ensures swift adjustments while maintaining stability and reliability throughout the work day.

Available in versatile configurations, the Boost Crank offers a cost-effective solution to enhance workplace ergonomics. Ideal for promoting productivity and comfort, it combines durability, ease of use, and modern design to meet diverse workplace needs.

**Backed by a 10 year warranty across the range.**



BC1P1275



BC1PCT1575



BC1PWS1875



BC1PEPCT1875

Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



# BOOST CRANK SINGLE WORKSTATION

## Specifications (mm):

Overall Size	750D x 705-1155H
Available Widths	1200, 1500, 1800

## Features:

- Manual height-adjustable workstation
- Side winder crank handle with max speed of 15mm per second (10mm per full turn circle)
- 120kg lifting capacity
- 700mm wide foot with 90mm x 60mm column size leg
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

## Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



BOOST CRANK WORKSTATION



BC2P1275





BC2PCT1575



BC2PWS1275



BC2PEPCT1875



BOOST CRANK  
BACK TO BACK WORKSTATION

Specifications (mm):

Overall Size 1530D x 705-1155H  
Available Widths 1200, 1500, 1800

Features:

- Suits two users with 120kg lifting capacity per desk
- Desk depth of 750mm per user
- Side winder crank handle on each side
- Max speed of 15mm per second (10mm per full turn circle)
- Overall height of 1330mm with screens
- 90mm x 60mm column size leg
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey

BOOST CRANK WORKSTATIONS



BCCNR1P1515





BCCNRCT1P1815



BCCNRWS1P1818



BCCNREPCT1P1818



BOOST CRANK  
CORNER WORKSTATION

Specifications (mm):

Overall Size 750D x 705-1155H  
Available Widths 1500 x 1500, 1800 x 1500, 1800 x 1800

Features:

- Manual height-adjustable corner workstation
- 140kg lifting capacity
- Side winder crank handle
- Max speed of 15mm per second (10mm per full turn circle)
- Overall height of 1330mm with screens
- 700mm wide foot with 90mm x 60mm column size leg
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with 80mm diameter cable entry hole with cover
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey






## BOOST+ WORKSTATION RANGE

**The Rapidline Boost+ continues to lead the way in height-adjustable workstation solutions within the commercial furniture industry.**

With low noise emission and easy assembly, Boost+ goes above and beyond to meet and exceed the Australian standards for height-adjustable workstations across the board.

Featuring advanced anti-collision and anti-tilt technology, quiet adjustment at 38mm per second, and a 120kg+ weight rating, this workstation ticks all the boxes for durability and stability, while being easily operated from the touch of an LED digital controller.

Available in a variety of configurations including single, corner, back to back, and a two-piece executive workstation—all with optional screens and cable trays.

 **Backed by a 10 year warranty across the range.**



# BOOST+ SINGLE WORKSTATION

Specifications (mm):

Overall Size	750D x 670-1270H
Available Widths	1200, 1500, 1800

Features:

- Height-adjustable workstation with 120kg lifting capacity
- 700mm wide foot with 90mm x 60mm column size leg
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Dual motor with smooth and quiet adjustment at max speed of 38mm per second
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



B+1P1275



B+1PCT1575



B+1PWS1875



B+1PEPCT1875



Top Finishes:




Frame Finishes:



Shush Screens:



Eco Panels:



# BOOST+ BACK TO BACK WORKSTATION

Specifications (mm):

Overall Size	1530D x 670-1270H
Available Widths	1200, 1500, 1800

Features:

- Suits two users with 120kg lifting capacity per desk
- Desk depth of 750mm per user
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Dual motor with smooth and quiet adjustment at max speed of 38mm per second
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



B+2P1275



B+2PCT1575



B+2PWS1875



B+2PEPCT1875



Top Finishes:




Frame Finishes:



Shush Screens:



Eco Panels:





B+CNR1P1515



B+CNRCT1P1815



B+CNRWS1P1818



B+CNREPT1P1818



Top Finishes:




Frame Finishes:



Shush Screens:



Eco Panels:



# BOOST+ CORNER WORKSTATION

Specifications (mm):

Overall Size	750D x 670-1270H
Available Widths	1500 x 1500, 1800 x 1500, 1800 x 1800

Features:

- Height-adjustable corner workstation for more desk space
- 140kg lifting capacity
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Triple motor with smooth and quiet adjustment at max speed of 38mm per second
- Overall height of 1330mm with screens
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with 80mm diameter cable entry hole with cover
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



BELE187



BERI187



BELEMP189



BERIMP217



\*Frame only

Top Finishes:



Cabinet Finish:



Base Finishes:



# BOOST+ EXECUTIVE RANGE

Specifications (mm):

Available Sizes	1800 x 750, 1800 x 900, 2100 x 750
Overall Height	620 - 1270H
Side Cabinet Size	1800W x 500D x 520H

Features:

- Two-piece, height-adjustable workspace with storage
- Available in left or right-hand configurations
- 700mm wide foot with 90mm x 60mm column size leg
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- 120kg lifting capacity and max speed of 38mm per second
- Natural Oak side cabinet with Natural White drawers and doors
- Storage includes 2 x drawers, 1 x double swing door cupboard, and 1 x single swing door cupboard with adjustable shelf
- Drawers fitted with cyberlock 4-digit manual combination lock
- E0 rated melamine top in Natural Oak or Natural White
- No cable entry holes or scallops in table top
- 10 year warranty

Add-ons:

- Cable snake available to run from floor to underside of desktop for cable management
- Telescopic cable tray to mount under the desktop, with provisions for GPO modules and/or data
- Optional perforated modesty panel for privacy when visible from the front, available in black or white powdercoat






# HALO STATIC WORKSTATION RANGES

**Designed for the modern professional, the Halo Static Workstation range is a refined solution for a productive workspace.**

Its E0-rated tabletop provides a sturdy surface, while the rigid edging and a discreet 50mm scallop cutout make cable management effortless, ensuring your desk remains clean and organised. The sleek, minimalist underframe, available in Black Satin or White Satin powdercoat, adds a touch of sophistication to any room.

You can further customise your setup with optional features like a fully ducted cable tray or an upholstered privacy screen, creating a truly personalised environment.

Available in single, back to back, and corner variants.

 **Backed by a 10 year warranty across the range**

## HALO STATIC WORKSTATIONS

# HALO STATIC SINGLE WORKSTATION

### Specifications (mm):

Overall Size	750D x 730H
Available Widths	1200, 1500, 1800

### Features:

- Fixed-height workstation
- Round leg design with 70mm column diameter
- Telescopic frame 1100 - 1800mm wide
- Overall height of 1330mm with screens
- Adjustable levelling feet with a foot size of 700mm
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

### Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



HS1P1275



HS1PCT1575



HS1PWS1875



HS1PEPCT1875

Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:





HS2P1275






HS2PCT1575



HS2PWS1875



HS2PEPCT1875



# HALO STATIC

## BACK TO BACK WORKSTATION

**Specifications (mm):**

Overall Size 1530D x 730H  
Available Widths 1200, 1500, 1800

**Features:**

- Fixed-height workstation to suit two users
- Desk depth of 750mm per user
- Round leg design with 70mm column diameter
- Telescopic frame 1100 - 1800mm wide
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

**Add-ons:**

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



HSCNR1P1515






HSCNRCT1P1815



HSCNRWS1P1818



HSCNREPCT1P1818



# HALO STATIC

## CORNER WORKSTATION

**Specifications (mm):**

Overall Size 750D x 730H  
Available Widths 1500 x 1500, 1800 x 1500, 1800 x 1800

**Features:**

- Fixed-height corner workstation for more desk space
- Round leg design with 70mm column diameter
- Telescopic frame 1100 - 1800mm wide
- Overall height of 1330mm with screens
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with 80mm diameter cable entry hole with cover
- 10 year warranty

**Add-ons:**

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey






# HALO+ WORKSTATION RANGE

**The Rapidline Halo+ workstations provide a premium height-adjustable offering to the market with its designer cylinder leg, smooth adjustment, and 120kg lifting capacity.**

With a digital control panel featuring three pre-set positions, an LED display panel, keypad safety lock, and reminder alarm setting, you can easily adjust your workstation to your preferred height with just the touch of a button.

The innovative anti-collision and anti-tilt technology ensures that your desk is protected from accidental damage, while operating quietly with a noise emission of less than 50DB.

Choose from single, corner, back to back, and stylish executive setups.

 **Backed by a 10 year warranty across the range.**

## HALO+ WORKSTATIONS

# HALO+ SINGLE WORKSTATION

### Specifications (mm):

Overall Size	750D x 670-1270H
Available Widths	1200, 1500, 1800

### Features:

- Height-adjustable workstation with 120kg lifting capacity
- Round leg design with 70mm column diameter
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Dual motor with smooth and quiet adjustment at max speed of 38mm per second
- Overall height of 1330mm with screens
- Adjustable levelling feet with a foot size of 700mm
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

### Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



H+1P1275



H+1PCT1575



H+1PWS1875



H+1PEPCT1875



Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



# HALO+

## BACK TO BACK WORKSTATION

Specifications (mm):

Overall Size	1530D x 670-1270H
Available Widths	1200, 1500, 1800

Features:

- Suits two users with 120kg lifting capacity per desk
- Desk depth of 750mm per user
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Dual motor with smooth and quiet adjustment at max speed of 38mm per second
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



H+2P1275



H+2PCT1575



H+2PWS1875



H+2PEPCT1875



Top Finishes:




Frame Finishes:



Shush Screens:



Eco Panels:



# HALO+

## CORNER WORKSTATION

Specifications (mm):

Overall Size	750D x 670-1270H
Available Widths	1500 x 1500, 1800 x 1500, 1800 x 1800

Features:

- Height-adjustable corner workstation for more desk space
- 140kg lifting capacity
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Triple motor with smooth and quiet adjustment at max speed of 38mm per second
- Overall height of 1330mm with screens
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with 80mm diameter cable entry hole with cover
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



H+CNR1P1515



H+CNRCT1P1515



H+CNRWS1P1818



H+CNREPCT1P1818



Top Finishes:




Frame Finishes:



Shush Screens:



Eco Panels:







HELE187



HERI187



HELEMP189



HERIMP217

# HALO+

## EXECUTIVE RANGE

**Specifications (mm):**

Available Sizes	1800 x 750, 1800 x 900, 2100 x 750
Overall Height	620 - 1270H
Side Cabinet Size	1800W x 500D x 520H

**Features:**

- Two-piece, height-adjustable workspace with storage
- Available in left or right-hand configurations
- Round leg design with 70mm column diameter
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- 120kg lifting capacity and max speed of 38mm per second
- Natural Oak side cabinet with Natural White drawers and doors
- Storage includes 2 x drawers, 1 x double swing door cupboard, and 1 x single swing door cupboard with adjustable shelf
- Drawers fitted with cyberlock 4-digit manual combination lock
- E0 rated melamine top in Natural Oak or Natural White
- No cable entry holes or scallops in table top
- 10 year warranty

**Add-ons:**

- Cable snake available to run from floor to underside of desktop for cable management
- Telescopic cable tray to mount under the desktop, with provisions for GPO modules and/or data
- Optional perforated modesty panel for privacy when visible from the front, available in black or white powdercoat



\*Frame only

Top Finishes:



Cabinet Finish:



Base Finishes:








Finishes:



## EXECUTIVE SIDE CABINET

### Features:

- Executive side cabinet for Boost+ and Halo+ range
- Left or right-hand orientation
- Drawers fitted with cyberlock 4-digit manual combination lock
- 2 x pull out drawers, 1 x double swing door cupboard, 1 x single swing door cupboard with adjustable shelf
- Soft close hinges and runners




Screen Finishes:



## 900MM HIGH SHUSH30+ SCREENS

### Features:

- Available widths: 1200mm, 1500mm, 1800mm, and a 750mm return screen
- Slimline 30mm screen
- Pinnable full fabric surface
- Can be fixed at any height on a desk
- Functions as a screen and as a modesty panel
- Available in other screen heights. Ask us today.




Finishes:




## ARCH PERFORATED MODESTY PANEL

### Features:

- Available widths: 1200mm, 1500mm and 1800mm
- Provides privacy by attaching to the underside of workstations
- Available in black or white powdercoat to suit workstation
- 1.5mm steel gauge



Finishes:



## 900MM HIGH ECO PANEL SCREENS

### Features:

- Available widths: 1200mm, 1500mm and 1800mm
- Sound absorbing
- Functions as a screen and as a modesty panel
- Polyester fibre panel screen with pinnable surface and radial corners
- Moisture resistant and anti-mildew
- Available in other screen heights. Ask us today.



## BLUETOOTH CONTROL BOX

### Features:

- Allows for height adjustment control with smart phone via application.
- **NOTE:** Only suitable for IOS devices with access to the App Store
- Minimum/Maximum height settings and up/down control



Finishes:



## SINGLE SIDED CABLE TRAY

### Features:


- Internal segregation for power and data
- External and internal power and data punch out provisions
- Four external punchouts at 230mm x 42mm and two internal punchouts at 230mm x 42mm
- Solid steel cable tray lid with two access holes for cable snakes
- 175mm D x 90mm H
- Available widths: 1010mm, 1310mm and 1610mm



## BATTERY PACK

### Features:

- For use on height-adjustable Boost and Halo workstations that don't have power access
- Includes control box and power charging adapter
- Battery life up to approximately 30 up-down cycles before needing to be recharged
- Ideal for education and training room applications



Finishes:



## BACK TO BACK CABLE TRAY

### Features:

- Internal segregation for power and data
- External and internal power and data punch out provisions
- 4x external punchouts at 230mm x 42mm and 2x internal punchouts at 230mm x 42mm
- Solid steel cable tray lid with two access holes for cable snakes
- 350mm D x 90mm H
- Available widths: 1010mm, 1310mm and 1610mm





SS-TCT



## SINGLE SIDED TELESCOPIC CABLE TRAY

### Features:

- Tray extends from 1300-1900mm
- Internal segregation for power and data
- External and internal power and data punch out provisions
- 4 x external punchouts at 230mm x 42mm, and 4 x internal punchouts at 230mm x 42mm
- Solid steel cable tray lid with 2 x access holes for cable snakes



B2B-TELCT1319




## BACK TO BACK TELESCOPIC CABLE TRAY

### Features:

- Tray extends from 1300-1900mm
- Internal segregation for power and data
- External and internal power and data punch out provisions
- Four external punchouts at 230mm x 42mm and four internal punchouts at 230mm x 42mm
- Solid steel cable tray lid with 2 x access holes for cable snakes



BH-HDSNAKE




## CABLE SNAKE

### Features:

- Flexible cable snakes
- 1200mm L x 70mm W x 40mm D
- 4 x segregation channels
- 1 piece per carton
- Available in black or white to match workstation frame



BH-1300SNAKE



## FLOOR TO UNDER DESK SNAKE

### Features:

- 4 x segregation channels per snake
- One end fitted with weighted foot and one end fitted with provisions to be screwed to underside of desktop
- 1 piece per carton
- Screws for fitting not included
- Finished in black or white plastic



TUDMT1117



## TELESCOPIC DESK MOUNT CABLE TRAY

### Features:

- Telescopic under desk mount cable tray for Boost and Halo workstations
- Provisions for up to 4 x 4GPO modules or 8 x data
- Internal dimensions: 115mm D x 81mm H
- Available in black or white to suit workstation frame




B2-B2BBR  
B2-SSBR



## CABLE TRAY BRIDGE

### Features:

- Allows 30mm gap between users
- Boost+ Single Sided Workstation Cable Tray Bridge:**
  - 100mm W x 175mm D x 94mm H
  - Cable tray cover to go between two single-sided workstation frames
- Boost+ Back to Back Workstation Cable Tray Bridge**
  - 100mm W x 350mm D x 94mm H
  - Cable tray cover to go between two back to back workstation frames




B2-SSARM  
HP-SSARM



## SINGLE SIDED ARM

### Features:

- Single sided workstation cable tray and screen mounting arm
- Comes as a set of 2
- 315mm W x 60mm D x 90mm H
- **\*B2-SSARM for Boost only**
- **\*HP-SSARM for Halo only**




B2-SBRAC  
B2-BBRAC



## SCREEN BRACKET

### Features:

- Boost+ Single Sided Workstation Screen Bracket**
  - Set of 2 per carton
- Boost+ Back to Back Workstation Screen Bracket**
  - Set of 4 per carton



## SINGLE ARM SLEEVES

### Features:

- Left and right-side sleeves to suit Boost and Halo single-sided cable tray and screen mounting arm
- Use to cover cable feed holes when not required or at the end of workstation runs
- Available in black or white to suit workstation frame

Finishes:




## BACK TO BACK CROSS BAR SLEEVES

### Features:

- Sleeve to suit cross bar on Boost and Halo back to back workstations
- Use to cover cable feed holes on cross bar when not required or at end of workstation runs
- Available in black or white to suit workstation frame

Finishes:



## RAIL EXTENSION

### Features:

- Rail extension beams
- 1600mm W x 30mm H x 15mm D
- 2 pieces per carton
- Suits 2100mm - 2400mm W workstations

Finishes:




## SHUSH30+ JOINING POLES

### Features:

- 360 degree screen joining poles
- 30mm W x 30mm D
- Includes all hooks and cover plates
- Adjustable levelling foot included
- Available heights: 900mm, 1330mm
- **\*See below**

Finishes:



## NYLON GLIDE BRACKETS

### Features:

- Boost and Halo can be used with a full height 1200mm or 1500mm high Shush30+ screen by attaching a nylon glide bracket
- Brackets are screwed into workstation tops and fitted to the screen extrusions, allowing smooth adjustment of the workstation while holding the screen steadily in place
- Comes as a set of 2 (1x right, 1x left)

## RETURN SCREEN FOR BOOST & HALO

### Features:


- SHSJP900 joining pole used to join return screen to center screen
- SHSJP1330 joining pole used as stabilising pole on the end
- Can be used with single and back to back Boost+ and Halo+ workstations
- Add return screen to one or both ends of the desk
- Desk height can be adjusted without affecting other users or screens



Screen Finishes:



## BOOST+ WITH FULL HEIGHT SHUSH30+ SCREEN







SB-S18

Finishes:



**BOOST STATIC**  
SINGLE SIDED FRAME

**Features:**

- Fixed-height frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Adjustable levelling feet
- Fixed-height of 705mm
- **\*For Boost Static range only**



BLSF

Finishes:



**BOOST LIGHT** SINGLE  
SIDED FRAME

**Features:**

- Height-adjustable frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Comes with digital control panel
- Adjustable levelling feet
- Anti-collision technology
- **\*For Boost Light range only**



HAFH-SF

Finishes:



**HALO STATIC**  
SINGLE SIDED FRAME

**Features:**

- Fixed-height frame
- 1100mm - 1800mm telescopic frame
- 70mm column diameter
- Adjustable levelling feet
- Fixed-height of 705mm
- **\*For Halo Static range only**



HP-SSF

Finishes:



**HALO+**  
SINGLE SIDED FRAME

**Features:**

- Height-adjustable frame
- Stylish and modern round leg
- 1100mm - 1800mm telescopic frame
- 70mm column diameter
- Adjustable levelling feet
- Comes with Digital Control Panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- **\*For Halo+ range only**



BCF-SF1218

Finishes:



**BOOST CRANK**  
SINGLE SIDED FRAME

**Features:**

- Manual height-adjustable frame
- 1100mm - 1800mm telescopic frame
- Column size of 90mm x 60mm
- Foot size of 700mm
- Height range of 680-1130mm
- Adjustable levelling feet
- **\*For Boost Crank range only**



B2-SSF

Finishes:



**BOOST+**  
SINGLE SIDED FRAME

**Features:**

- Height-adjustable frame
- 1100mm - 1800mm telescopic frame
- Column size of 90mm x 60mm
- Foot size of 700mm
- Requires additional arms for cable tray and dividing screen add-ons
- Comes with digital control panel
- **\*For Boost+ range only**



SB-BTBF18

Finishes:



**BOOST STATIC**  
BACK TO BACK FRAME

**Features:**

- Fixed-height frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Fixed-height of 705mm
- Adjustable levelling feet
- **\*For Boost Static range only**



BCF-BTBF1218

Finishes:



**BOOST CRANK**  
BACK TO BACK FRAME

**Features:**

- Manual height-adjustable frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Height range of 680-1130mm
- Adjustable levelling feet
- **\*For Boost Crank range only**

## BOOST+ BACK TO BACK FRAME

### Features:

- Height-adjustable frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Comes with mounting provisions for screens and cable trays
- Comes with digital control panel
- Includes independent height adjustment per desk
- **\*For Boost+ range only**



B2-BTBF

Finishes:



## HALO+ BACK TO BACK FRAME

### Features:

- Height-adjustable frame only
- Fits 2 users
- 1100mm - 1800mm telescopic frame
- Comes with digital control panel
- Includes independent height adjustment per desk
- 70mm column diameter
- **\*For Halo+ range only**



HP-BTBF

Finishes:



HAFH-BTBF

Finishes:



## HALO STATIC BACK TO BACK FRAME

### Features:

- Fixed-height frame
- 1100mm - 1800mm telescopic frame
- 70mm column diameter
- Fixed-height of 705mm
- Adjustable levelling feet
- **\*For Halo Static range only**

## BOOST STATIC RETURN FRAME

### Features:

- Fixed-height frame
- 1040mm - 2150mm telescopic frame
- Suits rectangular return table tops and radial 1 piece corner workstation tops with overall return edge size of 1450mm - 2150mm
- Fixed-height of 705mm
- **\*For Boost Static range only**



SB-RF1021

Finishes:



## BOOST CRANK RETURN FRAME

### Features:

- Manual height-adjustable frame
- Suits overall return size of 1400mm - 2000mm W
- Column size: 90mm x 60mm
- Lifting capacity of 100kg when attached to BCF-SF1218
- Foot size of 500mm
- **\*For Boost Crank range only**



BCF-RF

Finishes:



## HALO STATIC RETURN FRAME

### Features:

- Fixed-height frame
- 70mm column diameter
- 1040mm - 2150mm telescopic frame
- Suits rectangular return table tops and radial 1 piece corner workstation tops with overall return edge size of 1450mm - 2150mm
- Fixed-height of 705mm
- **\*For Halo Static range only**



HAFH-RF

Finishes:



## BOOST+ RETURN FRAME

### Features:

- Height-adjustable frame
- 1040mm - 2150mm telescopic frame
- Suits rectangular return table tops and radial 1 piece corner workstation tops with overall return edge size of 1450mm - 2150mm
- Comes with digital control panel
- Foot size of 500mm
- **\*For Boost+ range only**



B2-RF

Finishes:



## HALO+ RETURN FRAME

### Features:

- Height-adjustable frame
- Stylish and modern round leg
- 1040mm - 2150mm telescopic frame
- Suits rectangular return table tops and radial 1 piece corner workstation tops with overall return edge size of 1450mm - 2150mm
- Adjustable levelling feet
- Comes with digital control panel
- **\*For Halo+ range only**



HP-RF

Finishes:







# rapidline

**Furnx Queensland**

2B / 39 Johnstone Road,  
Brendale QLD 4500

**Furnx New South Wales**

Unit 6 / 2 Southridge Street,  
Eastern Creek NSW 2766

**Furnx Victoria**

3 / 9-19 Leakes Road,  
Laverton North VIC 3026

**Furnx Western Australia**

Unit 2 / 26 Callaway Street,  
Wangara WA 6065

**Furnx South Australia**

2 Pope Court,  
Beverley SA 5009

[www.rapidline.com.au](http://www.rapidline.com.au)