


QuickMount Acoustic Tiles Installation Guide

QuickMount Tile Types:

Halo (Round), Hive (Hexagon), Span (Rectangle) and Core (Square)



Tools & Materials Required:



Tape measure, spirit level or laser level, pencil, hand roller, utility knife with carbide blade

Note: These installation instructions are of a general nature and designed to assist suitably experienced tradespeople to install QuickMount tiles direct to solid substrates. QuickMount tiles have a pressure-sensitive adhesive backing. Once applied, the tiles cannot be repositioned. Removal will likely cause damage to paint/plasterboard or other surfaces that the QuickMount tiles are being fixed too.

QuickMount Acoustic Tiles Installation Guide

STEP 1

SURFACE PREPARATION



Ensure the wall surface is clean, dry, smooth, and free from dust, grease or loose particles.

Allow the surface to dry fully before proceeding.

Acouline



Some paints contain additives that can make permanent adhesive difficult to achieve, if fixing wall panels over the top of paint or coatings that may contain These additives, surface priming with BondCrete will be required prior to applying any adhesives acoustic panel installation



QuickMount Acoustic Tiles Installation Guide

STEP 2

PLAN YOUR LAYOUT



Use a level to draw a vertical and horizontal centre line.

Plan your layout from the centre outwards.

Dry lay tiles on the floor if needed to confirm your pattern.

Acouline



STEP 3

PRE-CONDITION TILES



Remove tiles from the packaging and allow Acouline QuickMount Tiles to acclimatise to the room temperature and humidity for 1-2 hours before installation.

Acouline



STEP 4

START AT THE CENTRE



Remove the release film.
Align the tile centre
with the intersection of
your centre lines.

Hold the tile at an angle,
then place it onto the wall.

Acouline



STEP 5

PRESS FIRMLY



Press firmly from the centre of the tile out to the edges to ensure good adhesion.

Use a roller to firmly press the entire surface of the tile to the wall.

Acouline



QuickMount Acoustic Tiles Installation Guide

STEP 6

CONTINUE INSTALLATION



Install the next tile
by aligning it with
the previous tile.
Hold at an angle,
then place onto the wall
and press firmly.

Continue across the row,
then move to the next row
and repeat.

Acouline



QuickMount Acoustic Tiles Installation Guide

Note: For best result
Use a carbide blade
In your utility knife



PRO TIP

CUT TILES TO FIT



Measure and mark the tile.
Use a straight edge
and a sharp utility knife
to score and cut.
Fit the cut tile into place.

Acouline



QuickMount Acoustic Tiles Installation Guide

STEP 7

FINAL ROLL



Re-roll all tiles when the installation is complete to ensure maximum adhesion.

Use firm, even pressure across the entire surface of each tile.

Acouline



QuickMount Acoustic Tiles Installation Guide

STEP 8

JOB COMPLETE



All done.

Stand back and check the installation.

Ensure all tiles are secure and aligned. Enjoy your improved space and better sound.

Acouline

