ASSEMBLY INSTRUCTIONS:

Product Code: FBT2410

Product Name: Rapid Edge Folding Table

TIME REQUIRED:

20 minutes

TOOLS REQUIRED:

Screwdriver, Electric Drill, Pencil, Measuring tape/Ruler *Tools are not included.

SKILL REQUIRED:



The Assembly Skill Rating is a 5-point system that shows the degree of effort needed in assembling a specific product. With 1 being easy for the average person and 5 requiring an expert. For most products, two persons are recommended.

Please note, as this is a commercial product, some intermediate skills are required. *No pre-drill holes or markings are provided on tops.

NOTE

- As this is a commercial product, some intermediate skills may be required.
 - No pre-drill holes or markings are provided on our table or desk tops.
 - Please check you have all hardware before assembling.
- If you are missing any hardware, please contact your Rapidline reseller. Please ensure you have the name of the item, required hardware part and quantity.
 - Please retain your receipt as proof of purchase to validate your warranty.
 - · Assemble on a clean, flat, smooth surface such as a rug or carpet to avoid parts from being scratched.
 - Remove all wrapping materials, including staples and packing straps before you start to assemble
 - Keep all hardware parts out of reach of children.

CAUTION


- Heavy product. Do not attempt to lift or move without help
- Do not tighten screws and bolts until completely assembled.
- Do not use this product unless all bolts and screws are firmly secured and tightened.


WARNING

- If parts are missing, broken, damaged or worn stop using the product until all repairs are made.
 - Failure to follow these warnings could result in serious injury.




RAPID EDGE FOLDING TABLE Assembly Instruction





Assembly Hardware

S/N	PICTURE	NAME	QTY	UNIT	REMARK
А	C Initia	Screw φ8*40	4	PCS	
В		Screw φ4*16	20	PCS	
С		6MM	1	PCS	
D	Ø 1111 1111	Connector	1	PCS	
		Screw φ4*25	8		
E	•	Screw φ4*30	4	PCS	



2.Complete table-board installation Use "B"and "D"

