

## Test Report

No.SDHL241102207401FT

Date: Feb 21, 2025

Page 1 of 6

WENCHEN FURNITURE LIMITED

NO.1 EAST TANDONG DA DAO, LONGJIANG, SHUNDE, FOSHAN, GUANGDONG, CHINA

Sample Description : OFFICE HEAVY DUTY TASK CHAIR

Item No. : T8144

Manufacturer : WENCHEN FURNITURE LIMITED

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

\*\*\*\*\*

Sample Receiving Date : Nov 18, 2024

Sample Resubmission Date : Jan 16, 2025

Test Performing Date : Nov 19, 2024 to Feb 21, 2025

Test Performed : Selected test(s) as requested by applicant

### Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	ANSI/BIFMA X5.11-2015 (R2020), excluding Seat Width Measurement	PASS	/
For further details, please refer to the following page(s)			

Signed for and on behalf of  
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Marco Leung

Marco Leung  
Authorized Signatory

Scan to see the report



SDHL241102207401FT  
Verification:  
check.sgschina.com.cn



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

1-2/F., Building 1, European Industrial Park, No.1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgschina.com.cn  
中国·广东·佛山市顺德区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com

**TESTS AND RESULTS**
**Test Conducted:**

ANSI/BIFMA X5.11-2015 (R2020) General-Purpose Large Occupant Office Chairs, excluding Seat Width Measurement.

**No. of Sample:**

5 pieces. For more sample information and pictures, please refer to the following page.

**Chair Type:**

- ☒ Type I. Tilting chair  
☒ Type II. Fixed seat angle, tilting backrest  
☒ Type III. Fixed seat angle, fixed backrest

Test and Requirements	Test Results
<b>5 Seat Width Measurement</b> The seat width shall be 560 mm (22 in.) minimum.	N/R
<b>6 Backrest Strength Test - Static - Type I</b>	
<b>Functional Load</b> Force: 890 N (200 lbf.) for one minute. Acceptance level: There shall be no loss of serviceability to the chair.	PASS
<b>Proof Load</b> Force: 1,334 N (300 lbf.) for one minute. Acceptance level: There shall be no sudden and major change in the structural integrity of the chair. Loss of serviceability is acceptable.	PASS
<b>7 Backrest Strength Test - Static - Type II &amp; III</b>	
<b>Functional Load</b> Force: 667 N (150 lbf.) for one minute. Acceptance level: A functional load applied once shall cause no loss of serviceability to the chair.	PASS
<b>Proof Load</b> Force: 1,112 N (250 lbf.) for one minute. Acceptance level: A proof load applied once shall cause no sudden and major change in the structural integrity of the chair. Loss of serviceability is acceptable.	PASS
<b>8 Drop Test – Dynamic</b>	
<b>Functional Load Test</b> 113 kg (250 lb.) shall be raised 152 mm (6 in.) above the uncompressed seat and released one time. Acceptance level: There shall be no loss of serviceability.	PASS
<b>Proof Load Test</b> 159 kg (350 lb.) shall be raised 152 mm (6 in.) above the uncompressed seat and released one time. Acceptance level: There shall be no sudden and major change in the structural integrity of the chair. Loss of serviceability is acceptable.	PASS
<b>9 Swivel Test – Cyclic</b> Load on seat: 181 kg (400 lb.) Cycles: 120,000 Acceptance level: There shall be no loss of serviceability.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**  
 1-2/F., Building 1, European Industrial Park, No.1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgs.com.cn  
 中国·广东·佛山市顺德区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com

Test and Requirements	Test Results
<b>10 Tilt Mechanism Test – Cyclic</b> Load on seat: 159 kg (350 lb.) Cycles: 300,000 Acceptance level: There shall be no loss of serviceability to the tilt mechanism.	PASS
<b>11 Seating Durability Tests – Cyclic</b>	
<b>11.3 Impact Test</b> Weight: 91 kg (200 lb.) Drop height: 30 mm (1.2 in.) above the uncompressed surface on the seat Cycles: 100,000 Acceptance level: There shall be no loss of serviceability to the chair.	PASS
<b>11.4 Front Corner Load-Ease Test – Cyclic – Off-center</b> Force: 1,334 N (300 lbf.) Cycles: 40,000 Acceptance level: There shall be no loss of serviceability to the chair.	PASS
<b>12 Stability Tests</b>	
<b>12.3.1 Rear Stability Test for Type III Chairs</b> Load the chair with 6 disks. • $F = 0.1964 (1195 - H)$ Newton. H is the seat height in mm. • $[F = 1.1 (47 - H)$ pounds force.]. H is the seat height in inches. For chairs with seat height equal to or greater than 710 mm (28.0 in.), a fixed force of 93 N (20.9 lbf.) shall be applied. Acceptance level: The chair shall not tip over.	PASS
<b>12.3.2 Rear Stability Test for Type I and II Chairs</b> Load the chair with 13 disks. Acceptance level: The chair shall not tip over.	PASS
<b>12.4 Front Stability</b> Load 79 kg (175 lb.) on 60 mm (2.4 in.) from the front center edge and a horizontal outward force of 20 N (4.5 lbf.) applied. Acceptance level: The chair shall not tip over as the result of the force application.	PASS
<b>13 Arm Strength Test - Vertical – Static</b>	
<b>Functional Load</b> Force: 890 N (200 lbf.) for one minute. Acceptance level: There shall be no loss of serviceability. For a height adjustable arm, failure to hold its height adjustment position to within 6 mm (0.25 in.) from its original set position as the result of the loading is considered a loss of serviceability.	PASS
<b>Proof Load</b> Force: 1,334 N (300 lbf.) for one minute. Acceptance level: There shall be no sudden and major change in the structural integrity of the chair. For a height adjustable arm, a sudden drop in height of greater than 25 mm (1 in.) does not meet this requirement. Loss of serviceability is acceptable.	PASS
<b>14 Arm Strength Test - Horizontal – Static</b>	
<b>Functional Load</b> Force: 445 N (100 lbf.) for one minute in the outward direction. Acceptance level: A functional load applied once shall cause no loss of serviceability.	PASS
<b>Proof Load</b> Force: 667 N (150 lbf.) for one minute in the outward direction. Acceptance level: A proof load applied once shall cause no sudden and major change in the structural integrity of the unit. Loss of serviceability is acceptable.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

1-2/F, Building 1, European Industrial Park, No.1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgsgroup.com.cn  
 中国·广东·佛山市顺德区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com

Test and Requirements	Test Results
<b>15 Backrest Durability Test - Cyclic - Type I</b> Weight on seat: 159 kg (350 lb.) Load on backrest: 445 N (100 lbf.) Cycles: 120,000 Acceptance level: There shall be no loss of serviceability.	PASS
<b>16 Backrest Durability Test - Cyclic - Type II and III</b> Weight on seat: 159 kg (350 lb.) Load on backrest: 334 N (75 lbf.) Cycles: 120,000 Acceptance level: There shall be no loss of serviceability.	PASS
<b>17 Caster/Chair Base Durability Test - Cyclic</b> <b>17.1 Caster/Chair Base Durability Test for Pedestal Base Chairs</b> Load on chair: 181 kg (400 lb.) Stroke: 762±50 mm (30±2 in.) of travel Cycles: 2,000 cycles over the obstacles and then 98,000 cycles without obstacles. Acceptance level: There shall be no loss of serviceability. No part of the caster shall separate from the chair as a result of the application of the 22 N (5 lbf.) force.	PASS
<b>17.2 Caster/Chair Frame Durability Test for Non-pedestal Chairs with Casters</b> Load on chair: 181 kg (400 lb.) Stroke: 762±50 mm (30±2 in.) of travel Cycles: 2,000 cycles over the obstacles and then 98,000 cycles without obstacles. Acceptance level: There shall be no loss of serviceability. No part of the caster shall separate from the chair as a result of the application of the 22 N (5 lbf.) force.	N/A
<b>18 Leg Strength Test - Front and Side Application</b> <b>18.3 Front Load Test</b> <b>Functional Load Test</b> Force: 445 N (100 lbf.) for one minute. Acceptance level: Functional load(s) applied once in each direction shall cause no loss of serviceability.	N/A
<b>Proof Load Test</b> Force: 667 N (150 lbf.) for one minute. Acceptance level: Proof load(s) applied once each direction shall cause no sudden and major change in the structural integrity of the chair. Loss of serviceability is acceptable.	N/A
<b>18.4 Side Load Test</b> <b>Functional Load Test</b> Force: 445 N (100 lbf.) for one minute. Acceptance level: Functional load(s) applied once in each direction shall cause no loss of serviceability.	N/A
<b>Proof Load Test</b> Force: 667 N (150 lbf.) for one minute. Acceptance level: Proof load(s) applied once each direction shall cause no sudden and major change in the structural integrity of the chair. Loss of serviceability is acceptable.	N/A
<b>19 Arm Durability Test – Cyclic</b> Force: 444 N (100 lbf.) to each arm initially at a 10 degrees ± 1 degree Cycles: 60,000 Acceptance level: There shall be no loss of serviceability to the chair.	PASS





Test and Requirements	Test Results
<b>20 Out Stop Tests for Chairs with Manually Adjustable Seat Depth</b> Mass on seat: 74 kg (163 lb.) Downward weight: 25 kg (55 lb.) Acceptance level: There shall be no loss of serviceability to the unit.	PASS
<b>21 Tablet Arm Chair Static Load Test</b> Load: 68 kg (150 lb.) for one minute Acceptance level: The load applied once shall cause no sudden and major change in the structural integrity of the chair. After performing the test, the tablet arm must allow egress from the unit; other losses of serviceability are acceptable.	N/A
<b>22 Tablet Arm Chair Load Ease Test – Cyclic</b> Load: 25 kg (55 lb.) Cycles: 100,000 Acceptance level: There shall be no loss of serviceability to the unit.	N/A
<b>23 Structural Durability Test – Cyclic</b> Weight on seat: 159 kg (350 lb.) Horizontal force: 444 N (100 lbf.) Cycles: 50,000 Acceptance level: There shall be no loss of serviceability to the unit.	N/A

**Remark:**

1. N/A – Not applicable; N/R – Not Requested; N/P – Not provided;
2. For the sample information and pictures, please refer to the following page.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

1-2/F., Building 1, European Industrial Park, No.1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgs.com.cn  
 中国·广东·佛山市顺德区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com

### SAMPLE INFORMATION AND PICTURES

**Weight:** 22.5 kg

**Overall Dimensions:** 710 mm W x (685~720) mm D x (1100~1290) mm H

**Other Dimensions:** /

#### Sample as Received



View 1



View 2



View 3



View 4

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ( $w=0$ ) stated in ILAC-G8:09/2019.

\*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

1-2/F, Building 1, European Industrial Park, No.1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.ssgsgroup.com.cn  
中国·广东·佛山市顺德区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com